



**PRODUCT NUMBER: RQE9607A**  
**TERRY HEAVY**

Mechanical and thermal handlings in glassworks, metallurgy and foundry.



**Honeywell**

**Overview**

**Reference Number**

RQE9607A

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Heat

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Automotive and Part Manufacturer
- Glass Industries
- Iron and steel industry

**Product Use**

Mechanical and thermal handlings in glassworks, metallurgy and foundry.

**Features & Benefits**

**Feature**

100% cotton terry glove  
Straight thumb  
Cuff of 15cm

**Benefit**

COMFORT  
5-finger glove for a better grip on hot objects and added dexterity.

RESISTANCE

Mechanical and thermal hazards up to 250°C.

**SAFETY**

The cuff helps to protect a large part of the forearm.

## Technical Description

**Description**

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-03 EEC Basic standards

EN 388-16 Mechanical hazards

EN 407-04 Thermal hazards

**CHARACTERISTICS :**

100 % cotton curls glove

Winged thumb

15 cm cuff

**Product Technology**

Cut and Sewn

**Glove/liner color**

Ecru

**Coating Type**

Cotton

**Length**

36 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 4

**Sizes**

Unique size

### EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	X
Tear resistance	3
Puncture resistance	1
Cutting resistance (TDM test)	C

## Certifications

**E.C. Declaration of Conformity**

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/03/18/0513

**EC Attestation**

CE Certificate

## Additional Information

**User Manual**

UI 106

**User Information Sheet**

106

## Maintenance

**Storage Information**

Minimum packaging 6 pairs.

Cartons of 60 pairs.

**Care Instructions**

In order to keep its properties, this article should not be cleaned.