



CODE ARTICLE: 100002
**MILLENNIA™ Monture Noire,
Oculaire Gris TSR**

Honeywell

Présentation générale

Numéro de référence

100002

Gamme

Lunettes à Branches

Ligne

Lunettes à Branches Mono-Ecran

Marque

Honeywell

Marque anciennement connue sous le nom de

PULSAFE

Industrie

- Administration

Utilisation du produit

- Usage général et protection contre l'impact (45m/s)
- Travaux mécaniques: meulage, tournage, fraisage, etc.
- Protection contre le coup d'arc (filtration UV 100%)

DESCRIPTIF :

- Résistance à la chaleur: jusqu'à 130° C
- Poids: 32 grammes.

MONTURE :

- Monture nylon avec protection latérale intégrée à l'écran
- Protection sus-orbitale intégrée à la barre frontale
- Branches droites pour un maintien parfait (possibilité de port sous casque): système "Sensitive Tension Design"
- Cordelette Flexicord réglable
- Nez universel injecté dans l'oculaire

OCULAIRES :

- Polycarbonate incolore traité anti-rayures
- Concept de monoécran composé de 2 parties sphériques de courbure base 9: excellente vision périphérique sans aucune distorsion optique ni déviation prismatique (système de "contrôle de la vision latérale")
- Couverture du visage parfaite grâce à la courbure importante de l'oculaire
- Filtration UV 100% (conforme à la norme EN 170)

- Qualité optique classe 1 (aucune déformation optique)
- Transmission de la lumière visible = 92%

Caractéristiques & Avantages

Caractéristique

Vous n'avez jamais rien vu de mieux! Une conception hautement sophistiquée derrière une apparence simple et classique. Seules les lunettes Pulsafe Millennia bénéficient du «Sensitive Tension Design» pour un ajustement optimal, et de la technologie «Parallel Vision Control» pour un meilleur confort visuel, ainsi que des caractéristiques exceptionnelles telles que: • Style préféré des utilisateurs lors d'essais comparatifs • Monture équilibrée et légère • Branches droites (il n'est plus nécessaire de les ajuster en longueur ou en inclinaison) • Cordelette réglable Flexicord permettant de porter les lunettes en sautoir • Pont de nez universel confortable • Courbure oculaire base 9 permettant une vision parfaite sans aucune distorsion optique ni déviation prismatique • Oculaire en polycarbonate anti-rayures • Champ de vision complet, y compris sur les côtés

Avantage

«Sensitive Tension Design», un concept qui résume ce qui fait le succès de Sperian Millennia: un modèle parfaitement équilibré, avec une répartition optimale des masses, rendant superflu tout système de réglage Protection latérale et supérieure, intégrée dans la monture et les branches : le style contribue à l'efficacité. Modèle livré avec cordelette Flexicord permettant de porter la lunette en sautoir

Descriptif technique

Couleur de l'oculaire

Gris TSR

Traitement de l'oculaire

Anti-rayures

Matériau de l'oculaire

polycarbonate

Oculaires de remplacement

Non

Type

Mono oculaire

Couleur de la monture

Noire

Matière de la monture

nylon

Certifications

 Déclaration de conformité CE

EPI catégorie CE

2

Assurance qualité

ISO 9001 / 2000

Numéro de certificat CE

EC1131

Attestation CE

 EC Attestation

Numéro d'attestation

EC1131

Conditionnement

Code EAN

7312550000014

© Honeywell International Inc.


15

EC TYPE-EXAMINATION CERTIFICATE: 1131

Product description: - Personal Protective Spectacles


Product identification: - HONEYWELL MILLENIA

Manufacturer: Sperian Eye & Face Protection Inc.
(a Honeywell Company)
10 Thurber Boulevard
Smithfield
RI-02917
U.S.A



When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: - Honeywell Safety Products Europe
Immeuble Edison Paris Nord 2
33 rue des Vanesses - BP 55288
Villepinte 95958 Roissy CDG Cedex
France

Signed 

Date: 30th September 2013

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

Certification remains valid until 30th September 2018, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 7th August 2003



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | |
|------|----------------|---|--|
| i) | Test Report | - | INSPEC Laboratories
99.01.33A, 99.03.67, 99.03.81, 99.03.84,
99.04.24/25, 99.04.53, 99.05.02, 99.05.33,
99.07.05, 99.07.67, 00.04.28, 00.04.29, 00.09.34,
03.07.13, 07.03.26, 08.08.30, 08.08.31, 08.08.32
INRS Y 382 10 02, 1.12.09.54 |
| ii) | Technical File | - | TF/1131 |
| iii) | Quality Plan | - | Sperian Eye & Face Protection, Inc QP EN 166 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 1	Withdrawn	07/08/03	
Page 2 of 2	Withdrawn	07/08/03	
Schedule ONE	Withdrawn	07/08/03	
Schedule TWO	Withdrawn	26/07/05	To add TSR Gray Fogban
Schedule THREE	Withdrawn	21/07/06	Add logo WAHLEN FUTURE
Certificate, pages 1 – 4	Withdrawn	12/10/06	Add 7 replacement lenses
Pages 1 – 4	Withdrawn	22/03/07	Allocation of K option changed following new testing, 07.03.26
Pages 1 – 4	Withdrawn	01/09/08	Addition of Partizanske as a manufacturing site for assembling the spectacles
Pages 1 – 4	Withdrawn	110930	Product name change to Honeywell
Pages 1 – 4	Valid	130930	Company name, Authorised representative changed and report number 1.12.09.54 added to cover new hard coat.

CERTIFICATION SCHEDULE

Style: MILLENNIA

Model	Frame Number	Lenses	Filter Scale	Optical Class	Options ⁽¹⁾	Logo
1000001	Black	Clear	2 - 1.2	1	F K	HONEYWELL
1000002	Black	Gray	2-2.5, 5 - 2.5	1	F K	HONEYWELL
1000003	Black	HDL Yellow	2 - 1.2	1	F K	HONEYWELL
1000004	Black	I/O Silver	2 - 1.7, 5 - 1.7	1	F	HONEYWELL
1000005	Black	Silver Mirror	2 - 3, 5 - 3.1	1	F	HONEYWELL
1002781	Black	Clear Fog-ban	2 - 1.2	1	F	HONEYWELL
1002782	Black	TSR Gray Fog-ban	2 - 2.5, 5 - 2.5	1	F	HONEYWELL
1005212	Black	HDL/Fogban	2 - 1.2	1	F	HONEYWELL
1006405	Black	Green	3	1	F	HONEYWELL
1006406	Black	Green	5	1	F	HONEYWELL
1000006	Blue	Clear	2 - 1.2	1	F K	HONEYWELL
1002783	Blue	Clear Fog-ban	2 - 1.2	1	F	HONEYWELL
1000008	Burgundy	Clear	2 - 1.2	1	F K	HONEYWELL
1000009	Silver	Clear	2 - 1.2	1	F	HONEYWELL
1000010	Silver	Silver Mirror	2 - 3, 5 - 3.1	1	F	HONEYWELL
1002802	Blue	Clear/ARCO	2 - 1.2	1	F	HONEYWELL
1005288	Black	Clear / Wurth	2 - 1.2	1	F	HONEYWELL
1005289	Black	Gray / Wurth	2 - 2.5, 5 - 2.5	1	F	HONEYWELL
1005311	Black	HDL / Wurth	2 - 1.2	1	F	HONEYWELL
1014361	Black	Clear	2 - 1.2	1	F	WAHLEN FUTURE
1014363	Black	Gray	2-2.5, 5 - 2.5	1	F	WAHLEN FUTURE
1014364	Black	HDL Yellow	2 - 1.2	1	F	WAHLEN FUTURE

Replacement Lenses

1000011	Clear	2-1.2	1	F
1000012	Gray	2-2.5, 5-2.5	1	F
1000013	HDL	2-1.2	1	F
1000014	I/O Silver	2 - 1.7, 5 - 1.7	1	F
1000015	Silver Mirror	2 - 3, 5 - 3.1	1	F
1002787	Clear Fogban	2-1.2	1	F
1002788	Gray Fogban	2-2.5, 5 - 2.5	1	F

⁽¹⁾ Key:

- F = high speed particles, low energy
- K = resistance to surface damage by fine particles

CERTIFICATION/TEST REPORT RECEIPT FORM

DATE RECEIVED: 12/2/13

PRODUCT: Honeywell Millennium

CERTIFICATION TEST REPORT

SIGNATURES

Q.A. MANAGER: John Pappalardo

DIRECTOR QUALITY SYSTEMS: Philip J. Buff

DIRECTOR R & D: Philip J. Buff





Déclaration de conformité CE

Le fabricant ou le fournisseur agissant en qualité de représentant légal au sein de la Communauté européenne:

Honeywell Safety Products Europe

Déclare que l'Équipement de Protection Individuelle décrit ci-dessous est conforme aux dispositions de la Directive européenne 89/686/CEE:

Désignation: MILLENNIA™ Monture Noire, Oculaire Gris TSR

Référence: 1000002

Norme(s): EN166, EN170, EN172

Cet EPI fait l'objet du certificat d'examen CE ci-dessous, n °:

EC1131

Délivré par:

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ

Greater Manchester

United Kingdom

+44 (0)12 96 68 29 66

Fait en Smithfield, le 27/05/2016

Par: Manchester

Division: Protection oculaire et faciale

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital 17 750 000 € - Siret 348 882 307 00137
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com