



**PRODUCT NUMBER: MFL40607DJ**  
**MFL 40607 DJ**

For the handling of hot objects in a catering or bakery environment, etc. It cannot be used in a wet environment.

**Honeywell**

## Overview

**Reference Number**

MFL40607DJ

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Heat

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Agriculture
- Automotive and Part Manufacturer
- Catering
- Chemical Industries
- Foundry
- Glass Industries
- Iron and steel industry

**Product Use**

For the handling of hot objects in a catering or bakery environment, etc. It cannot be used in a dry environment.

## Features & Benefits

**Feature**

100% cotton terry knitted mitt

Sewn on thumb and cuff

PVC film between jersey and terry

**Benefit**

COMFORT

The cotton jersey lining reinforces the glove's insulation against the heat while absorbing hand perspiration for better comfort.

The PVC film gives the glove a good seal (against water vapour).

**RESISTANCE**

Catching air between the terry threads gives the glove better thermal insulation performance.  
The knitted cotton terry provides good protection against mechanical and thermal hazards.

**SAFETY**

The mitt has been designed so that it can be quickly removed.  
The cuff helps to protect a large part of the forearm.

## Technical Description

**Description**

CE CATEGORY : II Intermediary risks  
In accordance with standards :  
EN 420-94 EEC Basic standards  
EN 388-94 Mechanical hazards  
EN 407-94 Thermal hazards

**CHARACTERISTICS :**

100% cotton terry knitted mitt  
Sewn on thumb and cuff  
PVC film between Jersey and terry

**Product Technology**

Cut and Sewn

**Coating Type**

Cotton

**Length**

40 cm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 3

**Sizes**

Unique size

### EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	2
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	3
Tear resistance	3
Puncture resistance	2

### Packaging Label

**Tagging**

CE HONEYWELL  
MFL40607DJ XX

EN 420  
EN 388 : 2332  
EN 407 : X2XXXX

## Certifications

### E.C. Declaration of Conformity

#### EC Category PPE

2

#### Quality Assurance

ISO 9001 / 2000

#### EC Certificate Number

0075/797/162/02/07/0040

#### EC Attestation

EC Attestation

#### EC Attestation Number

0075/797/162/02/07/0040

## Additional Information

### User Manual

UI 106

### User Information Sheet

106

## Maintenance

### Storage Information

Minimum packaging 6 pairs.

Cartons of 36 pairs.

### Care Instructions

To keep its performances, this article must not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z  
- TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/02/07/0040

To the following model of personal protective equipment :

- \* protective glove against mechanical risks, thermal risks.
- \* reference of the model : MFL40607DJ
- \* responsible for placing on the market :

## HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 31th, 2007

Update 02 of June 18th, 2012

Issued by Nadine PIPAZ



4, rue Hermann Frenkel

69367 Lyon Cedex 07 - France

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be notified to the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

Tel. +33(0)4 72 76 10 10 - Fax +33(0)4 72 72 76 10 00  
www.ctcgroupe.com

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference : MFL40607DJ

Basic Model

Dated : JUNE, 2012

100% cotton terry knitted mitt. PVC film between jersey and terry.

### Available sizes :

TU

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	Natural	100% cotton terry		
BACK	Natural	100% cotton terry		
LINING	Natural	Complex Jersey brushed / plastic film		
CUFF	Natural	100% cotton terry		
	Natural	Jersey brushed		
BINDING	Brown	Cotton		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 407:2004 - Protective gloves against thermal risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1204-5706/1	1204-5706/1
Azo		1204-5706/1	
EN 388		1204-5706/1	
EN 407		1204-5708	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	3	3	2

The levels of performance have been measured on the palm

**Performance levels offered against thermal risks (EN 407:2004) are:**

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
X	2	X	X	X	X


« X » means that the test hasn't been performed ; no protection is required

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: MFL40607DJ
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for thermal risks followed by the performance levels
- \* information pictogram

**Marking example:**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: MFL 40607 DJ

Reference: MFL40607DJ

Standard(s): EN 388, EN 407, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/02/07/0040

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367 LYON Cedex 07

France

Drawn up in Lyon, on the 17/10/2018

**By:** Fabrice beaugeard

**Division:** Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)